

Specification Sheet for ReClear Nan Ya PVC

Stock Codes PVNYC35/PVNYC45

Material Data:

Item	Standard	Tolerance
Thickness	0.200mm ~ 0.5mm	Average $\pm 5\%$ Individual $\pm 0.03\text{mm}$
Width	21" ~ 59.1"	-0 ~ + $\frac{1}{4}$ "
Weight		$\pm 3\%$
Softness	22 ~ 56 PHR	

Physical Properties		Softness PHR 41 ~ 50	Test Method
Tensile Strength (kg/cm ²)	MD	210 Min.	ASTM D-882 Method A
	CD	190 Min.	
Elongation (%)	MD	220 Min.	ASTM D-882 Method A
	CD	240 Min.	
Tear Strength (kg/mm)	MD	6.0 Min.	ASTM D-1004
	CD	6.0 Min.	
Shrinkage (%)	MD	-5.0 Max.	ASTM D-1204
	CD	2.0 Max.	