



REVISIONS			
PRO REV.	DATE.	ALTERATION.	AUTH
0	25-02-2010	As Per Skech Client.	V882
01	07-05-2013	Changed Part 1,2 from 6mmTk to 5mmTK, Part 3 from 8mmTK to 5mmTK following Client's request.	V1422
02	05-10-2013 03-08-2017	- Leave the gap from welding at the end to clean chemical after treatment follow ECR 13-017. - Changed Part 1&2 dimension from 139 to 136.5mm As DUR 17-0047.	V1422




MO:	Batch:	Product Description: RF-Reid & Twiname TB -L Bracket with C Channel-500mm Long(pair LH/RH)		02	05-10-2013 03-08-2017		- Leave the gap from welding at the end to clean chemical after treatment follow ECR 13-017. - Changed Part 1&2 dimension from 139 to 136.5mm As DUR 17-0047.						V1422		
Quantity Batch:		Product Code: 001-001-0928NZ		PRO REV.		DATE		ALTERATION						AUTH.	
Contract #:		Dwg Description: REVISIONS TABLE		Selection		0.5-3	>3-6	>6-30	>30-120	>120-400	>400-1000	>1000-2000	>2000-4000	>4000-8000	Angle Tolerance
Contract Ref:		Client: RED FLAG/REID & TWINAME	Client Code: TBBRKT500			±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.8	-	±1 °
Approved By:	Date:	Client Dwg Ref:	Client Rev: 0			±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	
					±0.15	±0.2	±0.5	±0.8	±1.2	±2	±3	±4	±5		
Signature By:		Fisnish: Black /Smooth/Matt 25+-5/RAL 9005		NOTE: All dimensions in mm (unless noted otherwise)						W: 16.33 (kg)		Sheet 1 of 3			

List of Part							
Part #	Code	Description	Material Spec	Size	Qty.	Unit	Total
1	901-040-0062-2	5mm thk Hot Rolled Steel Sheet Cut to Size	CT 3 (250 Mpa)	500x136.5x5mm	2	M2	0.1365
2	901-040-0062-2	5mm thk Hot Rolled Steel Sheet Cut to Size	CT 3 (250 Mpa)	460x136.5x5mm	2	M2	0.1256
3	901-040-0062-2	5mm thk Hot Rolled Steel Sheet Cut to Size	CT 3 (250 Mpa)	699x50x5mm	2	M2	0.0699
List of Packing							
BOX	920-203-2160	Card board Box 550mm L x 510mm W x 80mm H "Red Flag - Reid & Twiname" Tool Box L Bracket w/ C Channel - 500mm long (Pair)	3 ply	550mm L x 510mm W x 80mm H	1	Pcs	1



MO:	Batch:	Product Description: RF-Reid & Twiname TB -L Bracket with C Channel-500mm Long(pair LH/RH)				02	05-10-2013 03-08-2017		- Leave the gap from welding at the end to clean chemical after treatment follow ECR 13-017. - Changed Part 1&2 dimension from 139 to 136.5mm As DUR 17-0047.					V1422		
		Product Code: 001-001-0928NZ														
Quantity Batch:		Dwg Description: ASSEMBLY 1 OF 2				PRO REV.	DATE		ALTERATION					AUTH.		
Contract #:		Client: RED FLAG/REID & TWINAME		Client Code: TBBRKT500		Selection	0.5-3	>3-6	>6-30	>30-120	>120-400	>400-1000	>1000-2000	>2000-4000	>4000-8000	Angle Tolerance
Contract Ref:		Client Dwg Ref:		Client Rev: 0			±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.8	-	±1°
Approved By:	Date:	Fisnish: Black /Smooth/Matt 25+-5/RAL 9005					±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	
						➡	±0.15	±0.2	±0.5	±0.8	±1.2	±2	±3	±4	±5	
Signature By:						NOTE: All dimensions in mm (unless noted otherwise)					W: 16.33 (kg)		Sheet 2 of 3			



MO:	Batch:	Product Description: RF-Reid & Twiname TB -L Bracket with C Channel-500mm Long(pair LH/RH)		02	05-10-2013 03-08-2017		- Leave the gap from welding at the end to clean chemical after treatment follow ECR 13-017. - Changed Part 1&2 dimension from 139 to 136.5mm As DUR 17-0047.					V1422		
Quantity Batch:		Product Code: 001-001-0928NZ												
Contract #:		Dwg Description: ASSEMBLY 2 OF 2		PRO REV.	DATE		ALTERATION					AUTH.		
Contract Ref:		Client: RED FLAG/REID & TWINAME	Client Code: TBBRKT500	Selection	0.5-3	>3-6	>6-30	>30-120	>120-400	>400-1000	>1000-2000	>2000-4000	>4000-8000	Angle Tolerance
Approved By:		Date:	Client Dwg Ref:	Client Rev: 0		±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.8	-
Signature By:		Date:	Fisnish: Black /Smooth/Matt 25+-5/RAL 9005		➡	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3
						±0.15	±0.2	±0.5	±0.8	±1.2	±2	±3	±4	±5
					NOTE: All dimensions in mm (unless noted otherwise)					W: 16.33 (kg)		Sheet 3 of 3		