


revisions								
PRO REV	DATE	ALTERATION	AUTH					
0	14-12-2019	AS PER CLIENT'S REQUEST	V1422					



MO: 19110195 Batch: 1 of 1		Product Description: Barrel Hinge Female Part (S-Steel) Bolt on RH												
Quantity Batch: 10		Product Code: 001-005-0037NZ		0	14-12-2019				V1422					
		Dwg Description: REVISIONTABLE		PRO REV.	PRO REV. DA			ALTERATION						AUTH.
Contract #: N/A				Selection	0.5-3	>3-6	>6-30	>30-120	>120-400	>400-1000	>1000-2000	>2000-4000	>4000-8000	Angle Tolerance
Contract Ref: Reid&Twiname -	C52	Client: Reid&Twiname	Client Code: N/A			±0.05		±0.15	±0.2	±0.3	±0.5	±0.8	-	
Issued By: Date:		Client Dwg Ref: N/A	Client Rev: 0		±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	<u>±</u> 1.2	±2	<u>±</u> 3	±1°
	2410.		·	→	±0.15	±0.2	±0.5	±0.8	±1.2	±2	<u>±</u> 3	±4	±5	1 1
Received By:	Date:	Product Finish: MATTE		NOTE: All o	NOTE: All dimensions in mm (unless noted otherwise)					W = 0.0 (Kg) Sheet 1 of 3		t 1 of 3	First Angle Projection	

List of Part												
Part #	Code	Description	Material Spec	Size	Qty.	Unit	Total					
AC1	SFP-010-0167	Barrel Hinge Female Part (S-Steel) Bolt on RH	S-Steel	-	1	Pcs	1					
AC2	914-098-0004	Stainless steel washer to suit M4 OD 10mmm x 1mm	Stainless steel	=	2	Pcs	2					
AC3	914-016-0990	Hex socket (allen Key) & Domed Head bolt M4 x 15mm L x 0.7 pitch	Stainless Steel	-	2	Pcs	2					
AC4	914-047-0009	Nyloc Nut : M4 x pitch 0.7 Stainless Steel	Stainless Steel	-	2	Pcs	2					





MO: 19110195 Batch: 1 of 1		Product Description: Barrel Hinge Female Part (S-Steel) Bolt on RH												
Quantity Batch: 10		Product Code: 001-005-0037NZ		0	0 14-12-2019 AS PER CLIENT'S REQUEST		EQUEST		V1422					
2		Dwg Description: LIST OF MATERIAL		PRO REV.	PRO REV. DATE ALTERATION			AUTH.						
Contract #: N/A				Selection	0.5-3	>3-6	>6-30	>30-120	>120-400	>400-1000	>1000-2000	>2000-4000	>4000-8000	Angle Tolerance
Contract Ref: Reid&Twiname -	C52	Client: Reid&Twiname	Client Code: N/A		±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.8	-	
Issued By:	Date:	Client Dwg Ref: N/A	Client Rev: 0		±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	±1°
,		Draduct Finish: MATTE		→	±0.15	±0.2	±0.5	±0.8	±1.2	±2	±3	±4	<u>±</u> 5	
Received By:	Date:	Product Finish: MATTE		NOTE: All	NOTE: All dimensions in mm (unless noted otherwise)						W = 0.0 (Kg) Sheet 2 of 3			First Angle Projection

	List of Part										
Part #	Code	Description	Material Spec	Size	Qty.	Unit	Total				
AC1	SFP-010-0167	Barrel Hinge Female Part (S-Steel) Bolt on RH	S-Steel	-	1	Pcs	1				

Client Dwg Ref: N/A

Product Finish: MATTE





<u>+</u>1°

First Angle Projection


±2

<u>±</u>4

±3


±5


Sheet 3 of 3



Date:

Date:





±0.2

±0.5

NOTE: All dimensions in mm (unless noted otherwise)

±0.1 ±0.1

±0.15 ±0.2

±0.3

±0.8

±0.5

±1.2

±0.8

<u>±</u>2

<u>±</u>1.2

<u>±</u>3

W = 0.03 (Kg)

Yêu cầu/hướng dẫn

Issued By:

Received By:

Xác nhận của người thực hiện: □ Các yêu cầu phía trên đã được thực hiện.

Mã số - Ngày thực hiện

Tên và Mã Số Máy: (Name & Machine's Code)			Dụng Cụ Kiểm Tra: (Check Tool)	Người Kiểm tra: (Checked By)							Người Thẩm Tra: Ng (Verified By) (D			gày: ate)	
Mã Số Dụng Cụ: (Tool's Code)			Tần Suất Kiểm Tra: (Check Frequency)												
MO: 19110195	Batch:1 of 1	Product Description: Barrel Hinge Female	Part (S-Steel) Bolt on RH							DED 01	IENTIO DI				
Quantity Batch: 10		Product Code: 001-005-0037NZ		7 0	14-12-2019			A	PER CL	IENT'S RE		V1422			
,		Dwg Description: AC01(1/2)		PRO REV.	DATE		Ξ			ALTE	ERATION	AUTH.			
Contract #: N/A		Client: Reid&Twiname	Olient Codes N/A		0.5-3	>3-6	>6-30	>30-120	>120-400	>400-1000	>1000-2000	>2000-4000	>4000-8000	Angle Tolerance	
Contract Ref: Reid&Twiname - C52		Cheff. Reluci Willaille	Client Code: N/A		±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	<u>±</u> 0.5	±0.8	-		

Client Rev: 0