



REVISIONS			
PRO REV.	DATE.	ALTERATION.	AUTH
0	24-12-2015	As Per Client's Request	V1422
03	25-05-2016	Updated cutting corner shapes of Steel & Stainless Steel Tool Box Beveled Lid As DUR 16-0008.	V1422
	08-07-2016	Applying a sticker on the inside of the doors in the centre as ECR 001-0006.	V1422
	16-12-2020	As Per Dur 20-0148 [Converting drainage hole drilling to laser cutting]	V2885



MO:		Batch:		Product Description: Red Flag-Reid&Twiname Beveled Lid Steel Tool Box-L1200xH350xD500				0		16-12-2020		As Per Dur 20-0148 [Converting drainage hole drilling to laser cutting]				V2885			
Quantity Batch:				Product Code: 001-001-0020NZ															
Contract #:				Dwg Description: REVISIONS TABLE				PRO REV.		DATE		ALTERATION				AUTH.			
Contract Ref:				Client: RED FLAG/REID & TWINAME		Client Code: TBPC1200N		Selection		0.5-3	>3-6	>6-30	>30-120	>120-400	>400-1000	>1000-2000	>2000-4000	>4000-8000	Angle Tolerance
										±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.8	-	±1 °
Approved By:		Date:		Client Dwg Ref:-		Client Rev: 0				±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	
Signature By:		Date:		Fisnish: Black /Smooth/Matt 25+-5/RAL 9005						±0.15	±0.2	±0.5	±0.8	±1.2	±2	±3	±4	±5	
										NOTE: All dimensions in mm (unless noted otherwise)						W: 31.08 (kg)		Sheet 1 of 3	

List of Part							
Part #	Code	Description	Material Spec	Size	Qty.	Unit	Total
1	901-040-0030-2	1.5mm thk Hot Rolled Steel Sheet Cut To Size	CT 3 (250 Mpa)	1434x1200x1.5mm	1	M2	1.7208
2	901-040-0030-2	1.5mm thk Hot Rolled Steel Sheet Cut To Size	CT 3 (250 Mpa)	546x371x1.5mm	1	M2	0.2026
3	901-040-0030-2	1.5mm thk Hot Rolled Steel Sheet Cut To Size	CT 3 (250 Mpa)	546x371x1.5mm	1	M2	0.2026
4	901-040-0030-2	1.5mm thk Hot Rolled Steel Sheet Cut To Size	CT 3 (250 Mpa)	1235.5x380.8x1.5 mm	1	M2	0.4705
List of Assembly							
AS1	SFP-010-0151	Barrel Hinge Male Part (Steel) Weld on	CT 3 (250 Mpa)	-	3	Pcs	3
AS2	SFP-010-0150	Barrel Hinge Female Part (Steel) Weld on	CT 3 (250 Mpa)	-	3	Pcs	3
AS3	SFP-010-0001	Tool Box (Steel) - Lanyard Bracket : Lid	CT 3 (250 Mpa)	40x40x3mm	2	Pcs	2
AS4	SFP-010-0002	Tool Box (Steel) - Lanyard Bracket - Body	CT 3 (250 Mpa)	40x20x3mm	2	Pcs	2
AS5	SFP-010-0050	Tool Box Corner Flange (Steel) 40x20x1.5mm	CT 3 (250 Mpa)	40x20x1.5mm	2	Pcs	2
AS6	SFP-010-0051	Tool Box Corner Flange (Steel) 30x20x1.5mm	CT 3 (250 Mpa)	30x20x1.5mm	2	Pcs	2
List of Packing							
AC-02	915-006-0002	T-Paddle handle lock "Edge Style" (T-latch 50052) c/w Gasket & Key	Stainless Steel Grade 304	-	2	Pcs	2
AC-03	915-008-0000	Rubber Dust Proof Seal , 8mm dia rubber seal Plastic pinch type (DOOR SEAL) (Use Lenght 2720mm)	Rubber	2720mm	1	Pcs	1
AC-05	915-009-0005	8mm dia Black Plastic Heat Shrink (Use Lenght 360mm)	Plastic	360mm	2	Pcs	2
AC-06	915-013-0000	Stainless Steel chain 20mm x 8mm x 2mm (Use Lenght 380mm)	Stainless Steel	-	2	Pcs	2
AC-07	914-098-0004	Stainless steel washer to suit M4 OD 10mm x 1mm	Stainless steel	-	8	Pcs	8
AC-08	914-016-0990	Hex socket (allen Key) & Domed Head bolt M4 x 15mm L x 0.7 pitch	Stainless Steel	-	4	Pcs	4
AC-09	914-047-0009	Nyloc Nut : M4 x pitch 0.7 Stainless Steel	Stainless Steel	-	4	Pcs	4
AC-16	915-060-0000	M6 grease nipple	Steel	-	3	Pcs	3
AC-17	914-096-0010	Flat Washer M6 x 6.1mmID x 12mmOD x 1mmT	Brass	-	3	Pcs	3
AC18	919-100-0110	Warning Lable "Lid not to be used as a shelf"	-	-	1	Pcs	1
LB	919-100-0050	"RED FLAG Logo with www.retwine.co.nz"-Oval-shaped Label,90mmL x 45mmH	S/Steel 304	-	1	Pcs	1
BOX	920-203-2024	Card board Box L1210 x H360 x D515 "RED FLAG Logo with www.retwine.co.nz": L1200 x H350 x D500 Tool Box	Boy/Girl (3 ply)	-	1	Pcs	1
List of Finish							
Finish	922-002-0010	Black /Smooth/Matt 25+-5/RAL 9005		-		Pcs	



MO:	Batch:	Product Description: Red Flag-Reid&Twine Beveled Lid Steel Tool Box-L1200xH350xD500		0	16-12-2020		As Per Dur 20-0148 [Converting drainage hole drilling to laser cutting]					V2885		
		Product Code: 001-001-0020NZ												
Quantity Batch:		Dwg Description: ASSEMBLY 1 OF 2		PRO REV.	DATE		ALTERATION					AUTH.		
Contract #:				Selection	0.5-3	>3-6	>6-30	>30-120	>120-400	>400-1000	>1000-2000	>2000-4000	>4000-8000	Angle Tolerance
Contract Ref:		Client: RED FLAG/REID & TWINE Client Code: TBPC1200N			±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.8	-	±1°
Approved By:	Date:	Client Dwg Ref:- Client Rev: 0			±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	
					±0.15	±0.2	±0.5	±0.8	±1.2	±2	±3	±4	±5	
Signature By:		Fisnish: Black /Smooth/Matt 25+-5/RAL 9005		NOTE: All dimensions in mm (unless noted otherwise)					W: 31.08 (kg)		Sheet 2 of 3			

