


Part no.	L1	Number of bolt holes	Bolt hole centres	Max. bolt dia.
2503/001	200	2	103	10
2503/002	150	2	76	12
2503/003	250	3	87	8
2503/004	300	3	110	10
2503/005	405	3	168	12

DRAWN BY: P J Thomas		CHECKED BY:	
DATE: 16.10.06		DATE:	
ISSUE	ALTERATION	DATE	BY
1	Issue	10.5.90	PJT
2	87 was 90, 12 was 10, 8 was 10, 163 was 160.	03.08.95	PJT
3	103 was 105, 405 was 400, 168 was 163, 12 was 10. Transfer to CAD	14.10.04	PJT



THE COPYRIGHT OF THIS DRAWING BELONGS TO :

ALBERT JAGGER LIMITED
 CENTAUR WORKS
 GREEN LANE
 WALSHALL WS2 8HG

TEL: 01922 47 1000
 FAX: 01922 648021
 WEB: www.albertjagger.co.uk

FIRST ANGLE PROJECTION



DO NOT SCALE

TOLERANCES FOR UNTOLERANCED DIMENSIONS

UP TO 10mm	10-50mm	50-200mm	OVER 200mm
+0.5mm	+/-1.0mm	+/-2.0mm	+/-3.0mm

MATERIAL:

Black synthetic rubber to resist heavy impact

FINISH:

Free of moulding defects

COMPONENT DESCRIPTION:

2" x 2" Buffer

DRAWING NO:

2503/001-5